Author Index

Agraz, A., Duarte, C.A., Costa, L., Pérez, L., Páez, R., Pujol, V. and Fontirrochi, G.
Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Anspach, F.B.
Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Antón-Fos, G.M., García-March, F.J., Pérez-Giménez, F., Salabert-Salvador, M.T. and Cercós-del-Pozo, R.A.
Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Baillet, A., see Chaminade, P. 672(1994)67

Barth, D., see Chouchi, D. 672(1994)177

Betts, T.J.
Use of esterified and unesterified dipentylated γ-, β- and α-cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254

Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Cacho, J., see Nerín, C. 672(1994)159

Caciari, M., see Bruno, T.J. 672(1994)149

Castellote-Bargallo, A.I., see Rodríguez-Palmero, M. 672(1994)267

Cercós-del-Pozo, R.A., see Antón-Fos, G.M. 672(1994)203

Chaminade, P., Baillet, A. and Ferrier, D.
Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Chen, Y.-P., Hsu, M.-C. and Chien, C.S.
Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135

Chien, C.S., see Chen, Y.-P. 672(1994)135

Chouchi, D. and Barth, D.
Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177

Costa, L., see Agraz, A. 672(1994)25

Curry, J., see Sundaram, K.M.S. 672(1994)117

Damian, J., see Lopez-Avila, V. 672(1994)167

Dankers, J., see Lopez-Avila, V. 672(1994)167

De la Presa-Owens, S., see Rodríguez-Palmero, M. 672(1994)267

De la Torre-Boronat, M.C., see Rodríguez-Palmero, M. 672(1994)267

Duarte, C.A., see Agraz, A. 672(1994)25

Echarri, I., see Nerín, C. 672(1994)159

Emmer, Å., Jansson, M. and Roeraade, J.
Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Erbersdobler, H.F., see Hartkopf, J. 672(1994)242

Ferrier, D., see Chaminade, P. 672(1994)67

Fontirrochi, G., see Agraz, A. 672(1994)25

Fukumoto, T., Ihara, H., Sakaki, S., Shosenji, H. and Hirayama, C.
Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

García-March, F.J., see Antón-Fos, G.M. 672(1994)203

González, T., see Oliveros, L. 672(1994)59

Govers, H.A.J., see Spieksma, W. 672(1994)141

Grandmaison, J.L., see Shang, D.Y. 672(1994)185

Guiochon, G., see Yun, T. 672(1994)1

Hartkopf, J., Pahlke, C., Lüdemann, G. and Erbersdobler, H.F.
Determination of N^{ϵ}-carboxymethyllysine by a reversed-phase high-performance liquid chromatography method 672(1994)242

Hawthorne, S., see Lopez-Avila, V. 672(1994)167

Hilser, Jr., V.J., see Rudnick, S.E. 672(1994)219

Hirayama, C., see Fukumoto, T. 672(1994)237

Hsu, M.-C., see Chen, Y.-P. 672(1994)231

Ihara, H., see Fukumoto, T. 672(1994)237

Ito, Y. and Ma, Y.
pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Jansson, M., see Emmer, Å. 672(1994)231

Jaroniec, M.
Theoretical advancement in chromatography and related separation techniques (edited by F. Dondi and G. Guiochon) (Book Review) 672(1994)278

Kaliaguine, S., see Shang, D.Y. 672(1994)185

Kanda, T., Kutsuna, H., Ohtsu, Y. and Yamaguchi, M.
Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Khalifa, M., see Tatár, E. 672(1994)109

Kokusenya, Y., see Nishi, H. 672(1994)125

Kuksis, A., see Marai, L. 672(1994)87

Kutsuna, H., see Kanda, T. 672(1994)51

López Sabater, M.C., see Rodríguez-Palmero, M. 672(1994)267

Lopez-Avila, V., Young, R., Tehrani, J., Damian, J., Hawthorne, S., Dankers, J. and Van der Heiden, C.
Mini-round-robin study of a supercritical fluid extraction method for polynuclear aromatic hydrocarbons in soils with dichloromethane as a static modifier 672(1994)167

Lüdemann, G., see Hartkopf, J. 672(1994)242

Author Index

Agraz, A., Duarte, C.A., Costa, L., Pérez, L., Páez, R., Pujol, V. and Fontirrochi, G.
Immunoaffinity purification of recombinant hepatitis B surface antigen from yeast using a monoclonal antibody 672(1994)25

Anspach, F.B.
Silica-based metal chelate affinity sorbents. I. Preparation and characterization of iminodiacetic acid affinity sorbents prepared via different immobilization techniques 672(1994)35

Antón-Fos, G.M., García-March, F.J., Pérez-Giménez, F., Salabert-Salvador, M.T. and Cercós-del-Pozo, R.A.
Calculation of chromatographic parameters by molecular topology: sulphamides 672(1994)203

Baillet, A., see Chaminade, P. 672(1994)67

Barth, D., see Chouchi, D. 672(1994)177

Betts, T.J.
Use of esterified and unesterified dipentylated γ-, β- and α-cyclodextrins as gas chromatographic stationary phases to indicate the structure of monoterpenoid constituents of volatile oils 672(1994)254

Bruno, T.J. and Caciari, M.
Retention of halocarbons on a hexafluoropropylene epoxide modified graphitized carbon black. I. Methane-based compounds 672(1994)149

Cacho, J., see Nerín, C. 672(1994)159

Caciari, M., see Bruno, T.J. 672(1994)149

Castellote-Bargallo, A.I., see Rodríguez-Palmero, M. 672(1994)267

Cercós-del-Pozo, R.A., see Antón-Fos, G.M. 672(1994)203

Chaminade, P., Baillet, A. and Ferrier, D.
Computational strategy for solvent strength optimization in reversed-phase liquid chromatography 672(1994)67

Chen, Y.-P., Hsu, M.-C. and Chien, C.S.
Analysis of forensic samples using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and liquid chromatography with fluorimetric detection 672(1994)135

Chien, C.S., see Chen, Y.-P. 672(1994)135

Chouchi, D. and Barth, D.
Rapid identification of some coumarin derivatives in deterpenated citrus peel oil by gas chromatography 672(1994)177

Costa, L., see Agraz, A. 672(1994)25

Curry, J., see Sundaram, K.M.S. 672(1994)117

Damian, J., see Lopez-Avila, V. 672(1994)167

Dankers, J., see Lopez-Avila, V. 672(1994)167

De la Presa-Owens, S., see Rodríguez-Palmero, M. 672(1994)267

De la Torre-Boronat, M.C., see Rodríguez-Palmero, M. 672(1994)267

Duarte, C.A., see Agraz, A. 672(1994)25

Echarri, I., see Nerín, C. 672(1994)159

Emmer, Å., Jansson, M. and Roeraade, J.
Separation of pig liver esterase isoenzymes and subunits by capillary zone electrophoresis in the presence of fluorinated surfactants 672(1994)231

Erbersdobler, H.F., see Hartkopf, J. 672(1994)242

Ferrier, D., see Chaminade, P. 672(1994)67

Fontirrochi, G., see Agraz, A. 672(1994)25

Fukumoto, T., Ihara, H., Sakaki, S., Shosenji, H. and Hirayama, C.
Chromatographic separation of geometrical isomers using highly oriented polymer-immobilized silica gels 672(1994)237

García-March, F.J., see Antón-Fos, G.M. 672(1994)203

González, T., see Oliveros, L. 672(1994)59

Govers, H.A.J., see Spieksma, W. 672(1994)141

Grandmaison, J.L., see Shang, D.Y. 672(1994)185

Guiochon, G., see Yun, T. 672(1994)1

Hartkopf, J., Pahlke, C., Lüdemann, G. and Erbersdobler, H.F.
Determination of N^{ϵ}-carboxymethyllysine by a reversed-phase high-performance liquid chromatography method 672(1994)242

Hawthorne, S., see Lopez-Avila, V. 672(1994)167

Hilser, Jr., V.J., see Rudnick, S.E. 672(1994)219

Hirayama, C., see Fukumoto, T. 672(1994)237

Hsu, M.-C., see Chen, Y.-P. 672(1994)231

Ihara, H., see Fukumoto, T. 672(1994)237

Ito, Y. and Ma, Y.
pH-Zone-refining counter-current chromatography: a displacement mode applied to separation of dinitrophenyl amino acids 672(1994)101

Jansson, M., see Emmer, Å. 672(1994)231

Jaroniec, M.
Theoretical advancement in chromatography and related separation techniques (edited by F. Dondi and G. Guiochon) (Book Review) 672(1994)278

Kaliaguine, S., see Shang, D.Y. 672(1994)185

Kanda, T., Kutsuna, H., Ohtsu, Y. and Yamaguchi, M.
Synthesis of polymer-coated mixed-functional packing materials for direct analysis of drug-containing serum and plasma by high-performance liquid chromatography 672(1994)51

Khalifa, M., see Tatár, E. 672(1994)109

Kokusenya, Y., see Nishi, H. 672(1994)125

Kuksis, A., see Marai, L. 672(1994)87

Kutsuna, H., see Kanda, T. 672(1994)51

López Sabater, M.C., see Rodríguez-Palmero, M. 672(1994)267

Lopez-Avila, V., Young, R., Tehrani, J., Damian, J., Hawthorne, S., Dankers, J. and Van der Heiden, C.
Mini-round-robin study of a supercritical fluid extraction method for polynuclear aromatic hydrocarbons in soils with dichloromethane as a static modifier 672(1994)167

Lüdemann, G., see Hartkopf, J. 672(1994)242

Luijk, R., see Spieksma, W. 672(1994)141
Ma, Y., see Ito, Y. 672(1994)101
Marai, L., Kuksis, A. and Myher, J.J.
Reversed-phase liquid chromatography–mass spectrometry of the uncommon triacylglycerol structures generated by randomization of butteroil 672(1994)87
Matusch, R., see Sauer, B. 672(1994)247
Milbrath, D.S., see Subramanian, A. 672(1994)11
Minguillón, C., see Oliveros, L. 672(1994)59
Molnár-Perl, I., see Tatár, E. 672(1994)109
Myher, J.J., see Marai, L. 672(1994)87
Nakagawa, T., see Nakatani, M. 672(1994)213
Nakatani, M., Shibukawa, A. and Nakagawa, T.
High-performance capillary electrophoresis of SDS-proteins using pullulan solution as separation matrix 672(1994)213
Nerín, C., Cacho, J., Tornés, A.R. and Echarri, I.
Some observations on the standard addition procedure in gas chromatographic analysis 672(1994)159
Nishi, H., Yamasaki, K., Kokusenya, Y. and Sato, T.
Optical resolution of imidapril hydrochloride by high-performance liquid chromatography and application to the optical purity testing of drugs 672(1994)125
Ohtsu, Y., see Kanda, T. 672(1994)51
Oliveros, L., Minguillón, C. and González, T.
Comparison between silica-bonded chiral stationary phases derived from 3,5-disubstituted N-benzoyl-(*S*)-phenylalanine and (*S*)-cyclohexylalanine in the resolution of racemic compounds by liquid chromatography 672(1994)59
Páez, R., see Agraz, A. 672(1994)25
Pahlke, C., see Hartkopf, J. 672(1994)242
Pérez, L., see Agraz, A. 672(1994)25
Pérez-Giménez, F., see Antón-Fos, G.M. 672(1994)203
Pujol, V., see Agraz, A. 672(1994)25
Rivero-Urgell, M., see Rodríguez-Palmero, M. 672(1994)267
Rodríguez-Palmero, M., De la Presa-Owens, S., Castellote-Bargallo, A.I., López Sabater, M.C., Rivero-Urgell, M. and De la Torre-Boronat, M.C.
Determination of sterol content in different food samples by capillary gas chromatography 672(1994)267
Roeraade, J., see Emmer, Å. 672(1994)231
Rudnick, S.E., Hilser, Jr., V.J. and Worosila, G.D.
Comparison of the utility of capillary zone electrophoresis and high-performance liquid chromatography in peptide mapping and separation 672(1994)219
Sakaki, S., see Fukumoto, T. 672(1994)237
Salabert-Salvador, M.T., see Antón-Fos, G.M. 672(1994)203
Sato, T., see Nishi, H. 672(1994)125
Sauer, B. and Matusch, R.
High-performance liquid chromatographic separations of nystatin and their influence on the antifungal activity 672(1994)247
Shang, D.Y., Grandmaison, J.L. and Kaliaguine, S.
Some thermodynamic aspects of packed column supercritical fluid chromatography 672(1994)185
Shibamoto, T., see Yasuhara, A. 672(1994)261
Shibukawa, A., see Nakatani, M. 672(1994)213
Shosenji, H., see Fukumoto, T. 672(1994)237
Spieksma, W., Luijk, R. and Govers, H.A.J.
Determination of the liquid vapour pressure of low-volatility compounds from the Kováts retention index 672(1994)141
Subramanian, A., Van Cott, K.E., Milbrath, D.S. and Velander, W.H.
Role of local antibody density effects on immunosorbent efficiency 672(1994)11
Sundaram, K.M.S. and Curry, J.
High-performance liquid chromatographic method for the analysis of aminocarb, mexacarbate and some of their N-methylcarbamate metabolites by post-column derivatization with fluorescence detection 672(1994)117
Tatár, E., Khalifa, M., Záray, G. and Molnár-Perl, I.
Comparison of the recovery of amino acids in vapour-phase hydrolysates of proteins performed in a Pico Tag work station and in a microwave hydrolysis system 672(1994)109
Tehrani, J., see Lopez-Avila, V. 672(1994)167
Tornés, A.R., see Nerín, C. 672(1994)159
Van Cott, K.E., see Subramanian, A. 672(1994)11
Van der Heiden, C., see Lopez-Avila, V. 672(1994)167
Velander, W.H., see Subramanian, A. 672(1994)11
Worosila, G.D., see Rudnick, S.E. 672(1994)219
Wroński, M.
Determination of thiols as sulphonic acids by capillary isotachophoresis 672(1994)273
Yamaguchi, M., see Kanda, T. 672(1994)51
Yamasaki, K., see Nishi, H. 672(1994)125
Yasuhara, A. and Shibamoto, T.
Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods 672(1994)261
Young, R., see Lopez-Avila, V. 672(1994)167
Yun, T. and Guiochon, G.
Modeling of radial heterogeneity in chromatographic columns. Columns with cylindrical symmetry and ideal model 672(1994)1
Záray, G., see Tatár, E. 672(1994)109